

# PLATA

The simplest and fastest concealed fastening for laterally grooved decking boards.



# PLATA DETAILS

The **PLATA** decking connector guarantees easy and fast assembly for side grooved decking boards made of wood or wood-like materials.




The two integrated spring elements in the groove engagement surface provide a perfect clamping effect during assembly and ensure a force-locked connection.

Thanks to the 65 mm long version, the substructure is completely concealed. This results not only in a visually pleasing surface area but also protects against dirt.



The integrated joint spacers between the individual boards simplify assembly and absorb the swelling of the decking.

The substructure may be made out of wood, wood like materials or Aluminium.

Partial visible fastening is carried out for mounting the first and last decking boards.



# PLATA HIGHLIGHTS



## OVERVIEW








|                                |   |
|--------------------------------|---|
| <b>Fixing:</b>                 | concealed system  |
| <b>Fixing type:</b>            | sliding point - sliding point                           |
| <b>Space distance:</b>         | 6,0 mm  |
| <b>Decking board:</b>          | profiled with side groove                               |
| <b>Wood species:</b>           | Only for decking boards with high dimensional stability |
| <b>Dimensions:</b>             | L 65 mm   W 24 mm                                       |
| <b>Spring elements:</b>        | with clamping effect                                    |
| <b>Board replacement:</b>      | possible  |
| <b>Material:</b>               | stainless steel with black coating                      |
| <b>UNIA drilling capacity:</b> | ca. 2 mm thick Aluminium                                |
| <b>Special feature:</b>        | substructure is covered                                 |



# PLATA

## DECKING CONNECTOR



| FEATURES  |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Instructions  | Data sheet  | Tips & Tricks   | Video   | SET Pack  | Groove profile  | Display stand   | Branding  | Stainless steel   |

| Product No. | Description 1               | Description 2         | Packing Unit | EAN-13 Code   | Weight per PU | Customs tariff no. |
|-------------|-----------------------------|-----------------------|--------------|---------------|---------------|--------------------|
| 013304002   | PLATA P34 decking connector | stainless steel black | PU 100 PCS   | 9009941011633 | 2,010 kg      | 7326 90 98         |
| 013311002   | PLATA P34 decking connector | stainless steel black | PU 400 PCS   | 9009941011657 | 8,060 kg      | 7326 90 98         |

Included in every package are the required UNIA1 system screws 4,8 x 34 mm and instructions

| Product No. | Description 1               | Description 2         | Packing Unit | EAN-13 Code   | Weight per PU | Customs tariff no. |
|-------------|-----------------------------|-----------------------|--------------|---------------|---------------|--------------------|
| 013304003   | PLATA P47 decking connector | stainless steel black | PU 100 PCS   | 9009941011664 | 2,100 kg      | 7326 90 98         |
| 013311003   | PLATA P47 decking connector | stainless steel black | PU 400 PCS   | 9009941011688 | 8,500 kg      | 7326 90 98         |

Included in every package are the required UNIA1 system screws 4,8 x 47 mm and instructions